Index to Volume 52

ABADÍA A, *see* LÓPEZ-MILLÁN AF.
ABADÍA J, *see* LÓPEZ-MILLÁN AF.
ABARCA D, ROLDÁN M, MARTÍN M, SABATER B. *Arabidopsis thaliana* ecotype Cvi shows an increased tolerance to photo-oxidative stress and contains a new chloroplastic copper/zinc superoxide dismutase isoenzyme 1417
ACEVEDO R, MORENO DIAZ DE LA ESPINA S, FERNÁNDEZ-GÓMEZ ME, CUADRADO A, JOUVE N, DE LA TORRE C. Dormancy and proliferation in *Saccharum officinarum* × *S. spontaneum* hybrids which differ in the number of the introgressed *S. spontaneum* chromosomes 1203
ADAMS SR, PEARSON S, HADLEY P. Improving quantitative flowering models through a better understanding of the phases of photoperiod sensitivity (Review article) 655
AE N, *see* WISSUWA M.
AESCHBACHER RA, *see* VOGEL G.
AGHORAM K, *see* ZHANG SQ.
A-H-MACKERNESS S, *see* JOHN CF.
AL CHAARANI G, *see* HERVÉ D.
ALEXANDER IJ, *see* GRELET G-A.
ALLEN DJ, *see* FUENTES SI.
ALLEN R, *see* PAYTON P.
ALTAMURA MM, *see* BIONDI S.
AMÉGLIO T, COCHARD H, EWERS FW. Stem diameter variations and cold hardiness in walnut trees 2135
AMÉGLIO T, *see* COCHARD H.
AMOAH BK, WU H, SPARKS C, JONES HD. Factors influencing *Agrobacterium*-mediated transient expression of *uid*A in wheat inflorescence tissue 1135
AMTHOR JS, KOCH GW, WILLMS JR, LAYZELL DB. Leaf O_2 uptake in the dark is independent of coincident CO_2 partial pressure 2235
ANDERSON JW, *see* FITZGERALD MA.
ANDREO CS, *see* EDWARDS GE.
ARELLANO J, *see* CHICHKOVA S.
ARMSTRONG G, *see* OUGHAM HJ.
ARRESE-IGOR C, *see* GONZÁLEZ EM.
ATWELL BJ, *see* MONTAGU KD.
AUBERT S, BLIGNY R, DOUCE R, GOUT E, RATCLIFFE RG, ROBERTS JKM. Contribution of glutamate dehydrogenase to mitochondrial glutamate metabolism studied by ^{13}C and ^{31}P nuclear magnetic resonance 37
AUDIGIER C, *see* BAILLY C.
AUDRAN C, *see* BOREL C.
AVES SJ, *see* BRYANT JA.
AZCÓN R, *see* RUIZ-LOZANO JM.
AZEVEDO H, *see* VIEIRA SANTOS CL.
BACON MA, *see* PRICE LE.
BAHNISCH LM, *see* THUMMA BR.
BAIGES I, SCHÄFFNER AR, MAS A. Eight cDNA encoding putative aquaporins in *Vitis* hybrid Richter-110 and their differential expression 1949
BAILLY C, AUDIGIER C, LADONNE F, WAGNER MH, COSTE F, CORBINEAU F, CÔME D. Changes in oligosaccharide content and antioxidant enzyme activities in developing bean seeds as related to acquisition of drying tolerance and seed quality 701
BAKER NR, OXBOROUGH K, LAWSON T, MORISON JIL. High resolution imaging of photosynthetic activities of tissues, cells and chloroplasts in leaves 615
BAKER NR, *see* LEIPNER J.
BALDAN B, *see* RANIERI A.
BANIK M, BOURGAULT R, BEWLEY JD. Endo-β-mannanase is present in an inactive form in ripening tomato fruits of the cultivar Walter 105
BANIK M, *see* FEURTADO JA.
BARBATO R, *see* DALLA VECCHIA F.
BARBIER S, *see* HOUOT V.
BARCELÓ J, *see* KIDD PS.
BARCELO P, *see* LAMACCHIA C.
BARCELO P, *see* RASCO-GAUNT S.
BAREA JM, *see* RUIZ-LOZANO JM.
BARENDSE GWM, *see* VAN DEN HEUVEL KJPT.
BARNEIX AJ, *see* CAPUTO C.
BARNES J, *see* CARDOSO-VILHENA J.
BARRACLOUGH PB, *see* CLARK LJ.
BEAUDOIN F, *see* SAYANOVA O.
BECUWE N, *see* LANGENKÄMPER G.
BEECKMAN T, BURSSENS S, INZÉ D. The peri-*cell*-cycle in *Arabidopsis* 403
BEGUM AA, LEIBOVITCH S, MIGNER P, ZHANG F. Specific flavonoids induced *nod* gene expression and pre-activated *nod* genes of *Rhizobium leguminosarum* increased pea (*Pisum sativum* L.) and lentil (*Lens culinaris* L.) nodulation in controlled growth chamber environments 1537
BEHBOUDIAN MH, *see* MA Q.
BELL RW, *see* HUANG L.
BELLES-ISLES J, *see* LE VQ.
BELOZERSKY MA, *see* MÜNTZ K.
BENLLOCH M, *see* QUINTERO JM.
BERESTOVSKY GN, TERNOVSKY VI, KATAEV AA. Through pore diameter in the cell wall of *Chara corallina* 1173
BERRIOS EF, *see* HERVÉ D.
BEWLEY JD, *see* BANIK M.
BEWLEY JD, *see* FEURTADO JA.
BIELA A, *see* SIEFRITZ F.
BILGER W, JOHNSEN T, SCHREIBER U. UV-excited chlorophyll fluorescence as a tool for the assessment of UV-protection by the epidermis of plants 2007
BIONDI S, SCARAMAGLI S, CAPITANI F, ALTAMURA MM, TORRIGIANI P. Methyl jasmonate upregulates biosynthetic gene expression, oxidation and conjugation of polyamines, and inhibits shoot formation in tobacco thin layers 231
BIRD CR, *see* CAREY AT.
BLEIN J-P, *see* DAHAN J.
BLEIN J-P, *see* HOUOT V.
BLIGNY R, *see* AUBERT S.
BLOKHINA OB, CHIRKOVA TV, FAGERSTEDT KV. Anoxic stress leads to hydrogen peroxide formation in plant cells 1179
BOCHICCHIO A, *see* WHITTAKER A.
BOLAND W, *see* LINSENMAIR KE.
BOLLER T, *see* MÜLLER J.
BOLLER T, *see* MÜLLER J.
BOLLER T, *see* VOGEL G.
BONOMELLI A, *see* COUTOS-THÉVENOT P.
BOREL C, AUDRAN C, FREY A, MARION-POLL A, TARDIEU F, SIMONNEAU T. *Nicotiana plumbaginifolia*: zeaxanthin epoxidase transgenic lines have unaltered baseline ABA

© Society for Experimental Biology 2001

Index to Volume 52

ABADÍA A, *see* LÓPEZ-MILLÁN AF.
ABADÍA J, *see* LÓPEZ-MILLÁN AF.
ABARCA D, ROLDÁN M, MARTÍN M, SABATER B. *Arabidopsis thaliana* ecotype Cvi shows an increased tolerance to photo-oxidative stress and contains a new chloroplastic copper/zinc superoxide dismutase isoenzyme 1417
ACEVEDO R, MORENO DIAZ DE LA ESPINA S, FERNÁNDEZ-GÓMEZ ME, CUADRADO A, JOUVE N, DE LA TORRE C. Dormancy and proliferation in *Saccharum officinarum* × *S. spontaneum* hybrids which differ in the number of the introgressed *S. spontaneum* chromosomes 1203
ADAMS SR, PEARSON S, HADLEY P. Improving quantitative flowering models through a better understanding of the phases of photoperiod sensitivity (Review article) 655
AE N, *see* WISSUWA M.
AESCHBACHER RA, *see* VOGEL G.
AGHORAM K, *see* ZHANG SQ.
A-H-MACKERNESS S, *see* JOHN CF.
AL CHAARANI G, *see* HERVÉ D.
ALEXANDER IJ, *see* GRELET G-A.
ALLEN DJ, *see* FUENTES SI.
ALLEN R, *see* PAYTON P.
ALTAMURA MM, *see* BIONDI S.
AMÉGLIO T, COCHARD H, EWERS FW. Stem diameter variations and cold hardiness in walnut trees 2135
AMÉGLIO T, *see* COCHARD H.
AMOAH BK, WU H, SPARKS C, JONES HD. Factors influencing *Agrobacterium*-mediated transient expression of *uid*A in wheat inflorescence tissue 1135
AMTHOR JS, KOCH GW, WILLMS JR, LAYZELL DB. Leaf O_2 uptake in the dark is independent of coincident CO_2 partial pressure 2235
ANDERSON JW, *see* FITZGERALD MA.
ANDREO CS, *see* EDWARDS GE.
ARELLANO J, *see* CHICHKOVA S.
ARMSTRONG G, *see* OUGHAM HJ.
ARRESE-IGOR C, *see* GONZÁLEZ EM.
ATWELL BJ, *see* MONTAGU KD.
AUBERT S, BLIGNY R, DOUCE R, GOUT E, RATCLIFFE RG, ROBERTS JKM. Contribution of glutamate dehydrogenase to mitochondrial glutamate metabolism studied by ^{13}C and ^{31}P nuclear magnetic resonance 37
AUDIGIER C, *see* BAILLY C.
AUDRAN C, *see* BOREL C.
AVES SJ, *see* BRYANT JA.
AZCÓN R, *see* RUIZ-LOZANO JM.
AZEVEDO H, *see* VIEIRA SANTOS CL.
BACON MA, *see* PRICE LE.
BAHNISCH LM, *see* THUMMA BR.
BAIGES I, SCHÄFFNER AR, MAS A. Eight cDNA encoding putative aquaporins in *Vitis* hybrid Richter-110 and their differential expression 1949
BAILLY C, AUDIGIER C, LADONNE F, WAGNER MH, COSTE F, CORBINEAU F, CÔME D. Changes in oligosaccharide content and antioxidant enzyme activities in developing bean seeds as related to acquisition of drying tolerance and seed quality 701
BAKER NR, OXBOROUGH K, LAWSON T, MORISON JIL. High resolution imaging of photosynthetic activities of tissues, cells and chloroplasts in leaves 615
BAKER NR, *see* LEIPNER J.
BALDAN B, *see* RANIERI A.
BANIK M, BOURGAULT R, BEWLEY JD. Endo-β-mannanase is present in an inactive form in ripening tomato fruits of the cultivar Walter 105
BANIK M, *see* FEURTADO JA.
BARBATO R, *see* DALLA VECCHIA F.
BARBIER S, *see* HOUOT V.
BARCELÓ J, *see* KIDD PS.
BARCELO P, *see* LAMACCHIA C.
BARCELO P, *see* RASCO-GAUNT S.
BAREA JM, *see* RUIZ-LOZANO JM.
BARENDSE GWM, *see* VAN DEN HEUVEL KJPT.
BARNEIX AJ, *see* CAPUTO C.
BARNES J, *see* CARDOSO-VILHENA J.
BARRACLOUGH PB, *see* CLARK LJ.
BEAUDOIN F, *see* SAYANOVA O.
BECUWE N, *see* LANGENKÄMPER G.
BEECKMAN T, BURSSENS S, INZÉ D. The peri-*cell*-cycle in *Arabidopsis* 403
BEGUM AA, LEIBOVITCH S, MIGNER P, ZHANG F. Specific flavonoids induced *nod* gene expression and pre-activated *nod* genes of *Rhizobium leguminosarum* increased pea (*Pisum sativum* L.) and lentil (*Lens culinaris* L.) nodulation in controlled growth chamber environments 1537
BEHBOUDIAN MH, *see* MA Q.
BELL RW, *see* HUANG L.
BELLES-ISLES J, *see* LE VQ.
BELOZERSKY MA, *see* MÜNTZ K.
BENLLOCH M, *see* QUINTERO JM.
BERESTOVSKY GN, TERNOVSKY VI, KATAEV AA. Through pore diameter in the cell wall of *Chara corallina* 1173
BERRIOS EF, *see* HERVÉ D.
BEWLEY JD, *see* BANIK M.
BEWLEY JD, *see* FEURTADO JA.
BIELA A, *see* SIEFRITZ F.
BILGER W, JOHNSEN T, SCHREIBER U. UV-excited chlorophyll fluorescence as a tool for the assessment of UV-protection by the epidermis of plants 2007
BIONDI S, SCARAMAGLI S, CAPITANI F, ALTAMURA MM, TORRIGIANI P. Methyl jasmonate upregulates biosynthetic gene expression, oxidation and conjugation of polyamines, and inhibits shoot formation in tobacco thin layers 231
BIRD CR, *see* CAREY AT.
BLEIN J-P, *see* DAHAN J.
BLEIN J-P, *see* HOUOT V.
BLIGNY R, *see* AUBERT S.
BLOKHINA OB, CHIRKOVA TV, FAGERSTEDT KV. Anoxic stress leads to hydrogen peroxide formation in plant cells 1179
BOCHICCHIO A, *see* WHITTAKER A.
BOLAND W, *see* LINSENMAIR KE.
BOLLER T, *see* MÜLLER J.
BOLLER T, *see* MÜLLER J.
BOLLER T, *see* VOGEL G.
BONOMELLI A, *see* COUTOS-THÉVENOT P.
BOREL C, AUDRAN C, FREY A, MARION-POLL A, TARDIEU F, SIMONNEAU T. *Nicotiana plumbaginifolia*: zeaxanthin epoxidase transgenic lines have unaltered baseline ABA

© Society for Experimental Biology 2001

accumulations in roots and xylem sap, but contrasting sensitivities of ABA accumulation to water deficit 427
BORST-VRENSSEN AWM, *see* VAN LEEUWEN W.
BOUDOLF V, ROMBAUTS S, NAUDTS M, INZÉ D, DE VEYLDER L. Identification of novel cyclin-dependent kinases interacting with the CKS1 protein of *Arabidopsis* 1381
BOULAY M, *see* COUTOS-THÉVENOT P.
BOURGAULT R, *see* BANIK M.
BOWEN HC, *see* BROADLEY MR.
BOWSHER CG, TOBIN AK. Compartmentation of metabolism within mitochondria and plastids 513
BOYER JS. Growth-induced water potentials originate from wall yielding during growth 1483
BRAUN HJ, *see* TOLAY I.
BREDA C, *see* COUTOS-THÉVENOT P.
BREEN PJ, *see* CHENG L.
BRINGMANN G, FEINEIS D. Stress-related polyketide metabolism of Dioncophyllaceae and Ancistrocladaceae 2015
BROADLEY MR, ESCOBAR-GUTIÉRREZ AJ, BOWEN HC, WILLEY NJ, WHITE PJ. Influx and accumulation of Cs^+ by the *akt1* mutant of *Arabidopsis thaliana* (L.) Heynh. lacking a dominant K^+ transport system 839
BROIN M, *see* LANGENKÄMPER G.
BROWNLEADER MD, *see* EL-GENDY W.
BROZ AK, THELEN JJ, MUSZYNSKI MG, MIERNYK JA, RANDALL DR. ZMPP2, a novel type-2C protein phosphatase from maize 1739
BRUCE W, DESBONS P, CRASTA O, FOLKERTS O. Gene expression profiling of two related maize inbred lines with contrasting root lodging traits 459
BRYANT JA, MOORE K, AVES SJ. Origins and complexes: the initiation of DNA replication (Review article) 193
BUFFARD D, *see* COUTOS-THÉVENOT P.
BUKHOV NG, *see* HEBER U.
BURKHARDT J, *see* EICHERT T.
BURNS IG, *see* WALKER RL.
BURSSENS S, *see* BEECKMAN T.
BUZAS DM, *see* LOHAR DP.
CABALLERO JL, *see* REDONDO-NEVADO J.
CAKMAK I, *see* TOLAY I.
CALDEIRA G, *see* VIEIRA SANTOS CL.
CALLOW JA, *see* CALLOW ME.
CALLOW ME, CRAWFORD S, WETHERBEE R, TAYLOR K, FINLAY JA, CALLOW JA. Brefeldin A affects adhesion of zoospores of the green alga *Enteromorpha* 1409
CAMERON DF, *see* THUMMA BR.
CAMPOS A, *see* VIEIRA SANTOS CL.
CANNELL M, *see* RASCO-GAUNT S.
CAPITANI F, *see* BIONDI S.
CAPUTO C, FATTA N, BARNEIX AJ. The export of amino acid to the phloem is altered in wheat plants lacking the short arm of chromosome 7B 1761
CARDEMIL L, *see* ORTIZ C.
CARDEN DE, DIAMOND D, MILLER AJ. An improved Na^+-selective microelectrode for intracellular measurements in plant cells 1353
CARDOSO-VILHENA J, BARNES J. Does nitrogen supply affect the response of wheat (*Triticum aestivum* cv. Hanno) to the combination of elevated CO_2 and O_3? 1901
CAREY AT, SMITH DL, HARRISON E, BIRD CR, GROSS KC, SEYMOUR GB, TUCKER GA. Down-regulation of a ripening-related β-galactosidase gene (TBG1) in transgenic tomato fruits 663
CASADORO G, *see* SPOLAORE S.
CASADORO G, *see* TRAINOTTI L.
CASAS AM, *see* ROMAGOSA I.
CASTAGNA A, *see* RANIERI A.
CASTEJÓN-MUÑOZ M, *see* SERGHINI K.
CASTEL A, *see* SAYANOVA O.
CHANDRA A, *see* THUMMA BR.
CHANG S-C, CHO MH, KANG BG, KAUFMAN PB. Changes in starch content in oat (*Avena sativa*) shoot pulvini during the gravitropic response 1029
CHARDONNENS AN, *see* DIETZ KJ.
CHAVES MM, *see* PINHEIRO C.
CHEN H-J, HOU W-C, KUĆ J, LIN Y-H. Ca^{2+}-dependent and Ca^{2+}-independent excretion modes of salicylic acid in tobacco cell suspension culture 1219
CHEN S-CG, *see* LEE R-H.
CHEN S-W, *see* ZHANG D-P.
CHEN Z-H, *see* WALKER RP.
CHENG L, FUCHIGAMI LH, BREEN PJ. The relationship between photosystem II efficiency and quantum yield for CO_2 assimilation is not affected by nitrogen content in apple leaves 1865
CHERNYS JT, *see* GIJZEN M.
CHICHKOVA S, ARELLANO J, VANCE CP, HERNÁNDEZ G. Transgenic tobacco plants that overexpress alfalfa NADH-glutamate synthase have higher carbon and nitrogen content 2079
CHIRKOVA TV, *see* BLOKHINA OB.
CHO MH, *see* CHANG S-C.
CLAESSENS MMAE, *see* VAN DER WEERD L.
CLARK LJ, *see* WHALLEY WR.
CLARK LJ, WHALLEY WR, BARRACLOUGH PB. Partial mechanical impedance can increase the turgor of seedling pea roots 167
CLARKE PJ, *see* EL-GENDY W.
CLARKSON DT, *see* HOSE E.
CLARKSON DT, *see* PROSSER IM.
CLOUTIER M, *see* LAPOINTE G.
COCHARD H, FORESTIER S, AMÉGLIO T. A new validation of the Scholander pressure chamber technique based on stem diameter variations 1361
COCHARD H, *see* AMÉGLIO T.
COELHO CM, *see* LARKINS B.
COLLADOS C, *see* RUIZ-LOZANO JM.
COLMER TD, HUANG S, GREENWAY H. Evidence for down-regulation of ethanolic fermentation and K^+ effluxes in the coleoptile of rice seedlings during prolonged anoxia 1507
CÔME D, *see* BAILLY C.
CONROY JP, *see* MONTAGU KD.
COOKSON SJ, *see* MILLER AJ.
COPE RE, *see* WHALLEY WR.
CORBINEAU F, *see* BAILLY C.
COSI E, *see* QUARTACCI MF.
COSTA S, *see* DOLAN L.
COSTE F, *see* BAILLY C.
COULOMBE J, *see* NKOA R.
COUTOS-THÉVENOT P, POINSSOT B, BONOMELLI A, YEAN H, BREDA C, BUFFARD D, ESNAULT R, HAIN R, BOULAY M. *In vitro* tolerance to *Botrytis cinerea* of grapevine 41B rootstock in transgenic plants expressing the stilbene synthase *Vst1* gene under the control of a pathogen-inducible PR 10 promoter 901
CRASTA O, *see* BRUCE W.
CRAWFORD RMM, *see* SCHLÜTER U.
CRAWFORD S, *see* CALLOW ME.
CUADRADO A, *see* ACEVEDO R.
CUINÉ S, *see* LANGENKÄMPER G.

CUMMING JR, *see* NING J.
CURTIS PS, *see* GAVITO ME.
DA SILVA LG, *see* JAMES EK.
DAHAN J, ETIENNE P, PETITOT A-S, HOUOT V, BLEIN J-P, SUTY L. Cryptogein affects expression of α3, α6 and β1 20S proteasome subunits encoding genes in tobacco 1947
DALLA VECCHIA F, BARBATO R, LA ROCCA N, MORO I, RASCIO N. Responses to bleaching herbicides by leaf chloroplasts of maize plants grown at different temperatures 811
DALURZO HC, *see* SANDALIO LM.
DANTE RA, *see* LARKINS B.
DAVIES MS, *see* HERBERT RJ.
DAVIES WJ, *see* PRICE LE.
DAVIES WJ, *see* SAUTER A.
DAVLETOVA S, MÉSZÁROS T, MISKOLCZI P, OBERSCHALL A, TÖRÖK K, MAGYAR Z, DUDITS D, DEÁK M. Auxin and heat shock activation of a novel member of the calmodulin like domain protein kinase gene family in cultured alfalfa cells 215
DAYAU S, *see* QUEREIX A.
DE ALMEIDA ENGLER J, *see* RAMOS GBA.
DE GARA L, *see* TOMMASI F.
DE LA TORRE C, *see* ACEVEDO R.
DE OLIVEIRA ALM, *see* JAMES EK.
DE PINTO MC, *see* TOMMASI F.
DE SOUZA IRP, MACADAM JW. Gibberellic acid and dwarfism effects on the growth dynamics of B73 maize (*Zea mays* L.) leaf blades: a transient increase in apoplastic peroxidase activity precedes cessation of cell elongation 1673
DE VEYLDER L, *see* BOUDOLF V.
DE VEYLDER L, *see* RICHARD C.
DEÁK M, *see* DAVLETOVA S.
DEL CAMPO EM, *see* LÓPEZ-SERANO M.
DEL RÍO LA, *see* SANDALIO LM.
DELL B, *see* HUANG L.
DELSENY M, *see* VICIENT CM.
DESBONS P, *see* BRUCE W.
DESJARDINS Y, *see* NKOA R.
DEWAR RC, *see* QUEREIX A.
DI FONZO N, *see* LAMACCHIA C.
DIAMOND D, *see* CARDEN DE.
DIELEN V, LECOUVET V, DUPONT S, KINET J-M. *In vitro* control of floral transition in tomato (*Lycopersicon esculentum* Mill.), the model for autonomously flowering plants, using the late flowering *uniflora* mutant 715
DIETRICH P, SANDERS D, HEDRICH R. The role of ion channels in light-dependent stomatal opening 1959
DIETZ KJ, TAVAKOLI N, KLUGE C, MIMURA T, SHARMA SS, HARRIS GC, CHARDONNENS AN, GOLLDACK D. Significance of the V-type ATPase for the adaptation to stressful growth conditions and its regulation on the molecular and biochemical level 1969
DILKES BP, *see* LARKINS B.
DIXIT V, PANDEY V, SHYAM R. Differential antioxidative responses to cadmium in roots and leaves of pea (*Pisum sativum* L. cv. Azad) 1101
DODD IC, *see* HE J.
DODDS PF, *see* LÓPEZ-VILLALOBOS A.
DOLAN L, COSTA S. Evolution and genetics of root hair stripes in the root epidermis 413
DOS REIS JR FB, *see* JAMES EK.
DOUCE R, *see* AUBERT S.
DUBOS C, PLOMION C. Drought differentially affects expression of a PR-10 protein, in needles of maritime pine (*Pinus pinaster* Ait.) seedlings 1143
DUDITS D, *see* DAVLETOVA S.
DUNAEVSKY YE, *see* MÜNTZ K.
DUPONT S, *see* DIELEN V.
DUSABENYAGASANI M, *see* LE VQ.
ECKERT M, *see* SIEFRITZ F.
EDWARDS D, *see* RAVEN JA.
EDWARDS GE, FRANCESCHI VR, KU MSB, VOZNESENSKAYA EV, PYANKOV VI, ANDREO CS. Compartmentation of photosynthesis in cells and tissues of C_4 plants 577
EHLER L, *see* SHY G.
EICHERT T, BURKHARDT J. Quantification of stomatal uptake of ionic solutes using a new model system 771
EL MESKAOUI A, TREMBLAY FM. Involvement of ethylene in the maturation of black spruce embryogenic cell lines with different maturation capacities 761
EL-BORDINY F, *see* EL-GENDY W.
EL-GENDY W, BROWNLEADER MD, ISMAIL H, CLARKE PJ, GILBERT J, EL-BORDINY F, TREVAN M, HOPKINS J, NALDRETT M, JACKSON P. Rapid deposition of wheat cell wall structural proteins in response to *Fusarium*-derived elicitors 85
ELLSWORTH D, *see* ROGERS A.
ENGELS C, *see* HÄNSCH R.
ERENOGLU B, *see* TOLAY I.
ESCOBAR-GUTIÉRREZ AJ, *see* BROADLEY MR.
ESHEL A, *see* NIELSEN KL.
ESNAULT R, *see* COUTOS-THÉVENOT P.
ETIENNE P, *see* DAHAN J.
ETIENNE P, *see* HOUOT V.
EVETT C, *see* HERBERT RJ.
EWERS FW, *see* AMÉGLIO T.
FABRE F, *see* HERVÉ D.
FAGERSTEDT KV, *see* BLOKHINA OB.
FAMIANI F, *see* WALKER RP.
FAN L-M, WANG Y-F, WANG H, WU W-H. *In vitro Arabidopsis* pollen germination and characterization of the inward potassium currents in *Arabidopsis* pollen grain protoplasts 1603
FARRANT J, *see* WHITTAKER A.
FATTA N, *see* CAPUTO C.
FAYE L, *see* RAMIS C.
FEIJÓ JA, *see* VISSENBERG K.
FEINEIS D, *see* BRINGMANN G.
FELLER U, *see* ROULIN S.
FELLNER M, ZHANG R, PHARIS RP, SAWHNEY VK. Reduced de-etiolation of hypocotyl growth in a tomato mutant is associated with hypersensitivity to, and high endogenous levels of, abscisic acid 725
FERNÁNDEZ-GÓMEZ ME, *see* ACEVEDO R.
FERREIRA PCG, *see* RAMOS GBA.
FESSEL DG, *see* HÄNSCH R.
FEURTADO JA, BANIK M, BEWLEY JD. The cloning and characterization of α-galactosidase present during and following germination of tomato (*Lycopersicon esculentum* Mill.) seed 1239
FIALA B, *see* LINSENMAIR KE.
FIEHN O, *see* VOGEL G.
FIGARO M, *see* VERNIERI P.
FINCH-SAVAGE WE, PHELPS K, STECKEL JRA, WHALLEY WR, ROWSE HR. Seed reserve-dependent growth responses to temperature and water potential in carrot (*Daucus carota* L.) 2187
FINCH-SAVAGE WE, *see* WHALLEY WR.
FINLAY JA, *see* CALLOW ME.
FISCHER KL, *see* HÄUSLER RE.
FITZELLE KJ, KISS JZ. Restoration of gravitropic sensitivity in starch-deficient mutants of *Arabidopsis* by hypergravity 265

FITZGERALD MA, UGALDE TD, ANDERSON JW. Sulphur nutrition affects delivery and metabolism of S in developing endosperms of wheat 1519
FLANNIGAN BA, *see* SETTER TL.
FLEMING A, *see* REIDY B.
FOLKERTS O, *see* BRUCE W.
FORESTIER S, *see* COCHARD H.
FORSYTH JL, *see* LAMACCHIA C.
FOURNIER JM, *see* QUINTERO JM.
FOYER CH, *see* NGUYEN-QUOC B.
FOYER CH, *see* PAUL MJ.
FRANCESCHI VR, *see* EDWARDS GE.
FRANCIS D, *see* HERBERT RJ.
FRANCK C, *see* LAMMERTYN J.
FREY A, *see* BOREL C.
FRICK GA, *see* OUGHAM HJ.
FRICKER MD, MEYER AJ. Confocal imaging of metabolism *in vivo*: pitfalls and possibilities 631
FROSSARD J-S, *see* GRELET G-A.
FUCHIGAMI LH, *see* CHENG L.
FUENTES SI, ALLEN DJ, ORTIZ-LOPEZ A, HERNÁNDEZ G. Over-expression of cytosolic glutamine synthetase increases photosynthesis and growth at low nitrogen concentrations 1071
FUJIKAKE H, *see* OHTAKE N.
FUKUTA Y, *see* OBARA M.
FUNATSUKI H, *see* SATO Y.
GALE J, RACHMILEVITCH S, REUVENI J, VOLOKITA M. The high oxygen atmosphere toward the end-Cretaceous; a possible contributing factor to the K/T boundary extinctions and to the emergence of C_4 species 801
GALILI G, *see* SHY G.
GALINA A, *see* SEIXAS DA-SILVA W.
GÁLVEZ L, *see* GONZÁLEZ EM.
GARCÍA-TORRES L, *see* SERGHINI K.
GAUDILLERE J-P, *see* QUEREIX A.
GAVITO ME, CURTIS PS, MIKKELSEN TN, JAKOBSEN I. Interactive effects of soil temperature, atmospheric carbon dioxide, and soil N on root development, biomass and nutrient uptake of winter wheat during vegetative growth 1913
GENTZBITTEL L, *see* HERVÉ D.
GIJZEN M, KUFLU K, QUTOB D, CHERNYS JT. A class I chitinase from soybean seed coats 2283
GILBERT J, *see* EL-GENDY W.
GOLLDACK D, *see* DIETZ KJ.
GOLOVINA EA, HOEKSTRA FA, VAN AELST AC. The competence to acquire cellular desiccation tolerance is independent of seed morphological development 1015
GOLOVINA EA, *see* SACANDÉ M.
GÓMEZ M, *see* SANDALIO LM.
GOMORD V, *see* RAMIS C.
GONZÁLEZ EM, GÁLVEZ L, ARRESE-IGOR C. Abscisic acid induces a decline in nitrogen fixation that involves leghaemoglobin, but is independent of sucrose synthase activity 285
GOUT E, *see* AUBERT S.
GRANIER C, *see* RICHARD C.
GRAY JC, *see* ROW PE.
GREEN TGA, *see* LANGE OL.
GREENWAY H, *see* COLMER TD.
GREINER S, *see* ROSENKRANZ H.
GRELET G-A, ALEXANDER IJ, PROE MF, FROSSARD J-S, MILLARD P. Leaf habit influences nitrogen remobilization in *Vaccinium* species 993
GRESSHOFF PM, *see* LOHAR DP.
GROSS KC, *see* CAREY AT.
GROSSMANN K, KWIATKOWSKI J, TRESCH S. Auxin herbicides induce H_2O_2 overproduction and senescence in cleavers (*Galium aparine* L.) 1811
GRUBER V, *see* VICIENT CM.
GULLNER G, KÖMIVES T, RENNENBERG H. Enhanced tolerance of transgenic poplar plants overexpressing γ-glutamylcysteine synthetase towards chloroacetanilide herbicides 971
GUNSÉ B, *see* KIDD PS.
HADLEY P, *see* ADAMS SR.
HAIN R, *see* COUTOS-THÉVENOT P.
HALFORD NG, *see* LAMACCHIA C.
HANNAH MA, IQBAL MJ, SANDERS FE. Adaptation to long-term cold-girdling in genotypes of common bean (*Phaseolus vulgaris* L.) 1123
HÄNSCH R, FESSEL DG, WITT C, HESBERG C, HOFFMANN G, WALCH-LIU P, ENGELS C, KRUSE J, RENNENBERG H, KAISER WM, MENDEL R-R. Tobacco plants that lack expression of functional nitrate reductase in roots show changes in growth rates and metabolite accumulation 1251
HANSEN U-P, *see* KEUNECKE M.
HANSON MR, KÖHLER RH. GFP imaging: methodology and application to investigate cellular compartmentation of metabolism in plants 529
HARA T, *see* KOYAMA H.
HARRIER LA. The arbuscular mycorrhizal symbiosis: a molecular review of the fungal dimension 469
HARRIS GC, *see* DIETZ KJ.
HARRIS N, *see* LAMACCHIA C.
HARRIS NS, TAYLOR GJ. Remobilization of cadmium in maturing shoots of near isogenic lines of durum wheat that differ in grain cadmium accumulation 1473
HARRISON E, *see* CAREY AT.
HARRISON EP, MCQUEEN-MASON SJ, MANNING K. Expression of six expansin genes in relation to extension activity in developing strawberry fruit 1437
HARRISON EP, OLCER H, LLOYD JC, LONG SP, RAINES CA. Small decreases in SBPase cause a linear decline in the apparent RuBP regeneration rate, but do not affect Rubisco carboxylation capacity 1779
HARTUNG W, *see* HOSE E.
HARTUNG W, *see* SAUTER A.
HASHIBA T, *see* WAKI K.
HASHIMOTO S, *see* OHTAKE N.
HAUPT S, OPARKA KJ, SAUER N, NEUMANN S. Macromolecular trafficking between *Nicotiana tabacum* and the holoparasite *Cuscuta reflexa* 173
HÄUSLER RE, RADEMACHER T, LI J, LIPKA V, FISCHER KL, SCHUBERT S, KREUZALER F, HIRSCH H-J. Single and double overexpression of C_4-cycle genes had differential effects on the pattern of endogenous enzymes, attenuation of photorespiration and on contents of UV protectants in transgenic potato and tobacco plants 1785
HAYASHI M, *see* OBARA M.
HE J, LEE SK, DODD IC. Limitations to photosynthesis of lettuce grown under tropical conditions: alleviation by root-zone cooling 1323
HEBER U, BUKHOV NG, SHUVALOV VA, KOBAYASHI Y, LANGE OL. Protection of the photosynthetic apparatus against damage by excessive illumination in homoiohydric leaves and poikilohydric mosses and lichens 1999
HEBER U, *see* LANGE OL.
HEDRICH R, *see* DIETRICH P.
HEDRICH R, *see* ROELFSEMA MRG.
HEIL M, *see* LINSENMAIR KE.

HEINO P, *see* VRANOVA E.
HELLGREN LI, SANDELIUS AS. Age-dependent variation in membrane lipid synthesis in leaves of garden pea (*Pisum sativum* L.) 2275
HELLSTRÖM E-K, *see* TAULAVUORI E.
HEMERLY AS, *see* RAMOS GBA.
HEPBURN A, *see* MALAGUTI D.
HERBERT RJ, VILHAR B, EVETT C, ORCHARD CB, ROGERS HJ, DAVIES MS, FRANCIS D. Ethylene induces cell death at particular phases of the cell cycle in the tobacco TBY-2 cell line 1615
HERMAN E, *see* SHY G.
HERNÁNDEZ G, *see* CHICHKOVA S.
HERNÁNDEZ G, *see* FUENTES SI.
HERVÉ D, FABRE F, BERRIOS EF, LEROUX N, AL CHAARANI G, PLANCHON C, SARRAFI A, GENTZBITTEL L. QTL analysis of photosynthesis and water status traits in sunflower (*Helianthus annuus* L.) under greenhouse conditions 1857
HESBERG C, *see* HÄNSCH R.
HIBBERD JM, JESCHKE WD. Solute flux into parasitic plants 2043
HIETZ P, *see* ZOTZ G.
HIETZ P, *see* ZOTZ G.
HIRASAWA T, *see* MIYAMOTO N.
HIRSCH H-J, *see* HÄUSLER RE.
HOEKSTRA FA, *see* GOLOVINA EA.
HOEKSTRA FA, *see* SACANDÉ M.
HOFFMANN G, *see* HÄNSCH R.
HOLADAY AS, *see* PAYTON P.
HOLBROOK NM, *see* ZWIENIECKI MA.
HONDA C, *see* KUSABA S.
HONG Y, *see* MADEY E.
HOPKINS J, *see* EL-GENDY W.
HORNUNG R, *see* LÓPEZ-VILLALOBOS A.
HOSE E, CLARKSON DT, STEUDLE E, SCHREIBER L, HARTUNG W. The exodermis: a variable apoplastic barrier (Review article) 2245
HOU W-C, *see* CHEN H-J.
HOUOT V, ETIENNE P, PETITOT A-S, BARBIER S, BLEIN J-P, SUTY L. Hydrogen peroxide induces programmed cell death features in cultured tobacco BY-2 cells, in a dose-dependent manner 1721
HOUOT V, *see* DAHAN J.
HU TC, *see* KASHA KJ.
HUANG B, *see* JIANG Y.
HUANG L, BELL RW, DELL B. Boron supply into wheat (*Triticum aestivum* L. cv. Wilgoyne) ears whilst still enclosed within leaf sheaths 1731
HUANG L-T, *see* LEE R-H.
HUANG S, *see* COLMER TD.
HUBER SC, *see* KAISER WM.
HUDAK KA, *see* MADEY E.
HULTINE KR, MARSHALL JD. A comparison of three methods for determining the stomatal density of pine needles 369
HULZINK JMR, *see* VAN DEN HEUVEL KJPT.
HUMPHRIES SW, *see* ROGERS A.
INZÉ D, *see* BEECKMAN T.
INZÉ D, *see* BOUDOLF V.
INZÉ D, *see* RICHARD C.
INZÉ D, *see* STOROZHENKO S.
INZÉ D, *see* VRANOVA E.
IQBAL MJ, *see* HANNAH MA.
IRAQI D, TREMBLAY FM. Analysis of carbohydrate metabolism enzymes and cellular contents of sugars and proteins during spruce somatic embryogenesis suggests a regulatory role of exogenous sucrose in embryo development 2301
ISHIHARA A, *see* TEBAYASHI S.
ISHIMARU K, KOBAYASHI N, ONO K, YANO M, OHSUGI R. Are contents of Rubisco, soluble protein and nitrogen in flag leaves of rice controlled by the same genetics? 1827
ISHIOKA N-S, *see* OHTAKE N.
ISMAIL H, *see* EL-GENDY W.
ITO T, *see* OHTAKE N.
IWAMURA H, *see* TEBAYASHI S.
JACKSON P, *see* EL-GENDY W.
JAKOBSEN I, *see* GAVITO ME.
JAMES EK, OLIVARES FL, DE OLIVEIRA ALM, DOS REIS JR FB, DA SILVA LG, REIS VM. Further observations on the interaction between sugar cane and *Gluconacetobacter diazotrophicus* under laboratory and greenhouse conditions 747
JANOUSEK B, *see* ZLUVOVA J.
JAYAPRAKASH P, SARLA N. Development of an improved medium for germination of *Cajanus cajan* (L.) Millsp. pollen *in vitro* 851
JESCHKE WD, *see* HIBBERD JM.
JESCHKE WD, *see* JIANG F.
JIA W, ZHANG J, LIANG J. Initiation and regulation of water deficit-induced abscisic acid accumulation in maize leaves and roots: cellular volume and water relations 295
JIANG F, LI C, JESCHKE WD, ZHANG F. Effect of top excision and replacement by 1-naphthylacetic acid on partition and flow of potassium in tobacco plants 2143
JIANG Y, HUANG B. Effects of calcium on antioxidant activities and water relations associated with heat tolerance in two cool-season grasses 341
JIN X, ZHU J, ZEIGER E. The hypocotyl chloroplast plays a role in phototropic bending of *Arabidopsis* seedlings: developmental and genetic evidence 91
JOHN CF, MORRIS K, JORDAN BR, THOMAS B, A-H-MACKERNESS S. Ultraviolet-B exposure leads to up-regulation of senescence-associated genes in *Arabidopsis thaliana* 1367
JOHNSEN T, *see* BILGER W.
JOHNSON KE, *see* WALKER RP.
JOHNSON LH, *see* ROGERS HJ.
JONES HD, *see* AMOAH BK.
JONES HD, *see* PASTORI GM.
JORDAN BR, *see* JOHN CF.
JORDI W, *see* PONS TL.
JORRÍN JV, *see* SERGHINI K.
JOUVE N, *see* ACEVEDO R.
J-R-DIT-BRESSEL L, *see* VOGEL G.
KAISER H, KAPPEN L. Stomatal oscillations at small apertures: indications for a fundamental insufficiency of stomatal feedback-control inherent in the stomatal turgor mechanism 1303
KAISER WM, HUBER SC. Post-translational regulation of nitrate reductase: mechanism, physiological relevance and environmental triggers 1981
KAISER WM, *see* HÄNSCH R.
KAISER WM, *see* LINSENMAIR KE.
KAISER WM, *see* WEINER H.
KAJIURA M, *see* OBARA M.
KALDENHOFF R, *see* SIEFRITZ F.
KAMALUDDIN M, ZWIAZEK JJ. Metabolic inhibition of root water flow in red-osier dogwood (*Cornus stolonifera*) seedlings 739
KANG BG, *see* CHANG S-C.

KANO-MURAKAMI Y, *see* KUSABA S.
KAPPEN L, *see* KAISER H.
KASHA KJ, HU TC, ORO R, SIMION E, SHIM YS. Nuclear fusion leads to chromosome doubling during mannitol pretreatment of barley (*Hordeum vulgare* L.) microspores 1227
KATAEV AA, *see* BERESTOVSKY GN.
KAUFMAN PB, *see* CHANG S-C.
KEIJZER CJ, *see* NIJSSE J.
KEIJZER CJ, *see* VAN IEPEREN W.
KEUNECKE M, LINDNER B, SEYDEL U, SCHULZ A, HANSEN U-P. Bundle sheath cells of small veins in maize leaves are the location of uptake from the xylem 709
KIDD PS, LLUGANY M, POSCHENRIEDER C, GUNSÉ B, BARCELÓ J. The role of root exudates in aluminium resistance and silicon-induced amelioration of aluminium toxicity in three varieties of maize (*Zea mays* L.) 1339
KIDD PS, PROCTOR J. Why plants grow poorly on very acid soils: are ecologists missing the obvious? 791
KINET J-M, *see* DIELEN V.
KISS JZ, *see* FITZELLE KJ.
KIYOSAWA K. Ca^{2+} and phosphate releases from calcified *Chara* cell walls in concentrated KCl solution 223
KLUGE C, *see* DIETZ KJ.
KOBAYASHI N, *see* ISHIMARU K.
KOBAYASHI Y, *see* HEBER U.
KOCH GW, *see* AMTHOR JS.
KOCH T, *see* LINSENMAIR KE.
KÖCKENBERGER W. Nuclear magnetic resonance microimaging in the investigation of plant cell metabolism 641
KÖHLER RH, *see* HANSON MR.
KÖMIVES T, *see* GULLNER G.
KORNYEYEV D, *see* PAYTON P.
KOSTER KL, *see* XIAO L.
KOYAMA H, TODA T, HARA T. Brief exposure to low-pH stress causes irreversible damage to the growing root in *Arabidopsis thaliana*: pectin–Ca interaction may play an important role in proton rhizotoxicity 361
KREUZALER F, *see* HÄUSLER RE.
KRUSE J, *see* HÄNSCH R.
KU MSB, *see* EDWARDS GE.
KUANG T, *see* LU C.
KUC J, *see* CHEN H-J.
KUFLU K, *see* GIJZEN M.
KUIPER D, *see* PONS TL.
KUME T, *see* OHTAKE N.
KUNTZ M, *see* LANGENKÄMPER G.
KÜPPER H, LOMBI E, ZHAO F-J, WIESHAMMER G, MCGRATH SP. Cellular compartmentation of nickel in the hyperaccumulators *Alyssum lesbiacum*, *Alyssum bertolonii* and *Thlaspi goesingense* 2291
KUSABA S, HONDA C, KANO-MURAKAMI Y. Isolation and expression analysis of gibberellin 20-oxidase homologous gene in apple 375
KUSHNIR S, *see* STOROZHENKO S.
KWIATKOWSKI J, *see* GROSSMANN K.
LA ROCCA N, *see* DALLA VECCHIA F.
LADONNE F, *see* BAILLY C.
LAFITTE R, *see* MIYAMOTO N.
LAINE K, *see* TAULAVUORI E.
LAINÉ P, *see* ROSSATO L.
LAMACCHIA C, SHEWRY PR, DI FONZO N, FORSYTH JL, HARRIS N, LAZZERI PA, NAPIER JA, HALFORD NG, BARCELO P. Endosperm-specific activity of a storage protein gene promoter in transgenic wheat seed 243
LAMMERTYN J, FRANCK C, VERLINDEN BE, NICOLAÏ BM. Comparative study of the O_2, CO_2 and temperature effect on respiration between 'Conference' pear cell protoplasts in suspension and intact pears 1769
LANGE OL, GREEN TGA, HEBER U. Hydration-dependent photosynthetic production of lichens: what do laboratory studies tell us about field performance? 2033
LANGE OL, *see* HEBER U.
LANGENKÄMPER G, MANAC'H N, BROIN M, CUINÉ S, BECUWE N, KUNTZ M, REY P. Accumulation of plastid lipid-associated proteins (fibrillin/CDSP34) upon oxidative stress, ageing and biotic stress in Solanaceae and in response to drought in other species 1545
LAPOINTE G, LUCKEVICH MD, CLOUTIER M, SÉGUIN A. 14-3-3 gene family in hybrid poplar and its involvement in tree defence against pathogens 1331
LARKINS B, DILKES BP, DANTE RA, COELHO CM, WOO Y, LIU Y. Investigating the hows and whys of DNA endoreduplication (Review article) 183
LAWLOR DW, *see* PIETERS AJ.
LAWSON T, *see* BAKER NR.
LAYZELL DB, *see* AMTHOR JS.
LAZZERI P, *see* RASCO-GAUNT S.
LAZZERI PA, *see* LAMACCHIA C.
LE VQ, BELLES-ISLES J, DUSABENYAGASANI M, TREMBLAY FM. An improved procedure for production of white spruce (*Picea glauca*) transgenic plants using *Agrobacterium tumefaciens* 2089
LECOUVET V, *see* DIELEN V.
LEE R-H, WANG C-H, HUANG L-T, CHEN S-CG. Leaf senescence in rice plants: cloning and characterization of senescence up-regulated genes 1117
LEE SK, *see* HE J.
LEEGOOD RC, *see* WALKER RP.
LEIBOVITCH S, *see* BEGUM AA.
LEIGH RA, *see* TESTER M.
LEIPNER J, OXBOROUGH K, BAKER NR. Primary sites of ozone-induced perturbations of photosynthesis in leaves: identification and characterization in *Phaseolus vulgaris* using high resolution chlorophyll fluorescence imaging 1689
LENZI A, *see* VERNIERI P.
LEÓN J, ROJO E, SÁNCHEZ-SERRANO JJ. Wound signalling in plants (Review article) 1
LEROUGE P, *see* RAMIS C.
LEROUX N, *see* HERVÉ D.
LEUBNER-METZGER G, MEINS JR F. Antisense-transformation reveals novel roles for class I β-1,3-glucanase in tobacco seed after-ripening and photodormancy 1753
LI C, *see* JIANG F.
LI J, *see* HÄUSLER RE.
LIANG J, *see* JIA W.
LIBISCH B, *see* SAYANOVA O.
LIN Y-H, *see* CHEN H-J.
LINDNER B, *see* KEUNECKE M.
LINDSEY G, *see* WHITTAKER A.
LINSENMAIR KE, HEIL M, KAISER WM, FIALA B, KOCH T, BOLAND W. Adaptations to biotic and abiotic stress: *Macaranga*-ant plants optimize investment in biotic defence 2057
LIPIEC J, *see* WHALLEY WR.
LIPKA V, *see* HÄUSLER RE.
LIPS SH, *see* ZDUNEK E.
LIU C, *see* THUMMA BR.
LIU Y, *see* LARKINS B.
LLOYD JC, *see* HARRISON EP.

LLUGANY M, *see* KIDD PS.

LOHAR DP, SCHULLER K, BUZAS DM, GRESSHOFF PM, STILLER J. Transformation of *Lotus japonicus* using the herbicide resistance *bar* gene as a selectable marker 1697

LOMBI E, *see* KÜPPER H.

LONG SP, *see* HARRISON EP.

LÓPEZ-MILLÁN AF, MORALES F, ABADÍA A, ABADÍA J. Iron deficiency-associated changes in the composition of the leaf apoplastic fluid from field-grown pear (*Pyrus communis* L.) trees 1489

LÓPEZ-SERANO M, DEL CAMPO EM, SABATER B, MARTIN M. Primary transcripts of *ndhD* of Liliaceae and Aloaceae require editing of the start and 20th codons 179

LÓPEZ-VILLALOBOS A, DODDS PF, HORNUNG R. Changes in fatty acid composition during development of tissues of coconut (*Cocos nucifera* L.) embryos in the intact nut and *in vitro* 933

LU C, LU Q, ZHANG J, KUANG T. Characterization of photosynthetic pigment composition, photosystem II photochemistry and thermal energy dissipation during leaf senescence of wheat plants grown in the field 1805

LU Q, *see* LU C.

LUCKEVICH MD, *see* LAPOINTE G.

LUO R, *see* WÜRTZEL ET.

LÜTHEN H, *see* TODE K.

LÜTTGE U, *see* WANG B.

LYNCH JP, *see* NIELSEN KL.

MA F, PETERSON CA. Frequencies of plasmodesmata in *Allium cepa* L. roots: implications for solute transport pathways 1051

MA JF, *see* SHEN R.

MA Q, BEHBOUDIAN MH, TURNER NC, PALTA JA. Gas exchange by pods and subtending leaves and internal recycling of CO_2 by pods of chickpea (*Cicer arietinum* L.) subjected to water deficits 123

MACADAM JW, *see* DE SOUZA IRP.

MÄCK G, *see* STÖHR C.

MADEY E, NOWACK LM, SU L, HONG Y, HUDAK KA, THOMPSON JE. Characterization of plasma membrane domains enriched in lipid metabolites 669

MAE T, *see* SUZUKI Y.

MAGYAR Z, *see* DAVLETOVA S.

MAKINO A, *see* SUZUKI Y.

MALAGUTI D, MILLARD P, WENDLER R, HEPBURN A, TAGLIAVINI M. Translocation of amino acids in the xylem of apple (*Malus domestica* Borkh.) trees in spring as a consequence of both N remobilization and root uptake 1665

MALONE M, *see* WATSON R.

MANAC'H N, *see* LANGENKÄMPER G.

MANNING K, *see* HARRISON EP.

MARION-POLL A, *see* BOREL C.

MARSHALL JD, *see* HULTINE KR.

MARTÍN M, *see* ABARCA D.

MARTIN M, *see* LÓPEZ-SERANO M.

MAS A, *see* BAIGES I.

MATHESIUS U. Flavonoids induced in cells undergoing nodule organogenesis in white clover are regulators of auxin breakdown by peroxidase 419

MATSUBA S, *see* SATO Y.

MATSUHASHI S, *see* OHTAKE N.

MATZNER SL, RICE KJ, RICHARDS JH. Intra-specific variation in xylem cavitation in interior live oak (*Quercus wislizenii* A.DC.) 783

MAUND SL, *see* ROGERS HJ.

MCGRATH SP, *see* KÜPPER H.

MCQUEEN-MASON SJ, *see* HARRISON EP.

MEDINA-ESCOBAR N, *see* REDONDO-NEVADO J.

MEINS JR F, *see* LEUBNER-METZGER G.

MELCHER PJ, *see* ZWIENIECKI MA.

MENDEL R-R, *see* HÄNSCH R.

MÉSZÁROS T, *see* DAVLETOVA S.

MEYER AJ, *see* FRICKER MD.

MIERNYK JA, *see* BROZ AK.

MIGNER P, *see* BEGUM AA.

MIKKELSEN TN, *see* GAVITO ME.

MILBORROW BV. The pathway of biosynthesis of abscisic acid in vascular plants: a review of the present state of knowledge of ABA biosynthesis (Review article) 1145

MILLARD P, *see* GRELET G-A.

MILLARD P, *see* MALAGUTI D.

MILLER AJ, COOKSON SJ, SMITH SJ, WELLS DM. The use of microelectrodes to investigate compartmentation and the transport of metabolized inorganic ions in plants 541

MILLER AJ, *see* CARDEN DE.

MIMURA T, *see* DIETZ KJ.

MISKOLCZI P, *see* DAVLETOVA S.

MIYAMOTO N, STEUDLE E, HIRASAWA T, LAFITTE R. Hydraulic conductivity of rice roots 1835

MIZUNIWA C, *see* OHTAKE N.

MOLINA R, *see* QUINTERO JM.

MOLINA-CANO JL, *see* ROMAGOSA I.

MONTAGU KD, CONROY JP, ATWELL BJ. The position of localized soil compaction determines root and subsequent shoot growth responses 2127

MOORBY J, *see* WALKER RL.

MOORE K, *see* BRYANT JA.

MORALEJO MA, *see* ROMAGOSA I.

MORALES F, *see* LÓPEZ-MILLÁN AF.

MORENO DIAZ DE LA ESPINA S, *see* ACEVEDO R.

MORISON JIL, *see* BAKER NR.

MORO I, *see* DALLA VECCHIA F.

MORRIS K, *see* JOHN CF.

MOYANO E, *see* REDONDO-NEVADO J.

MULLER B, REYMOND M, TARDIEU F. The elongation rate at the base of a maize leaf shows an invariant pattern during both the steady-state elongation and the establishment of the elongation zone 1259

MÜLLER J, BOLLER T, WIEMKEN A. Trehalose becomes the most abundant non-structural carbohydrate during senescence of soybean nodules 943

MÜLLER J, WIEMKEN A, BOLLER T. Redifferentiation of bacteria isolated from *Lotus japonicus* root nodules colonized by *Rhizobium* sp. NGR234 2181

MUÑOZ P, *see* ROMAGOSA I.

MUÑOZ-BLANCO J, *see* REDONDO-NEVADO J.

MÜNTZ K, BELOZERSKY MA, DUNAEVSKY YE, SCHLERETH A, TIEDEMANN J. Stored proteinases and the initiation of storage protein mobilization in seeds during germination and seedling growth (Review article) 1741

MURAKAMI T, *see* SATO Y.

MUSZYNSKI MG, *see* BROZ AK.

NAIDU BP, *see* THUMMA BR.

NAKAMURA C, *see* OHNO R.

NAKAMURA S, TOYAMA T. Isolation of a VP1 homologue from wheat and analysis of its expression in embryos of dormant and non-dormant cultivars 875

NALDRETT M, *see* EL-GENDY W.

NAPIER JA, *see* LAMACCHIA C.

NAPIER JA, *see* SAYANOVA O.

NAUDTS M, *see* BOUDOLF V.

NAVARI-IZZO F, *see* QUARTACCI MF.

NEUMANN PM, *see* SHALATA A.
NEUMANN S, *see* HAUPT S.
NGUYEN-QUOC B, FOYER CH. A role for 'futile cycles' involving invertase and sucrose synthase in sucrose metabolism of tomato fruit (Review article) 881
NICOLAÏ BM, *see* LAMMERTYN J.
NIELSEN KL, ESHEL A, LYNCH JP. The effect of phosphorus availability on the carbon economy of contrasting common bean (*Phaseolus vulgaris* L.) genotypes 329
NIJSSE J, *see* VAN IEPEREN W.
NIJSSE J, VAN DER HEIJDEN GWAM, VAN IEPEREN W, KEIJZER CJ, VAN MEETEREN U. Xylem hydraulic conductivity related to conduit dimensions along Chrysanthemum stems 319
NING J, CUMMING JR. Arbuscular mycorrhizal fungi alter phosphorus relations of broomsedge (*Andropogon virginicus* L.) plants 1883
NKOA R, COULOMBE J, DESJARDINS Y, TREMBLAY N. Towards optimization of growth via nutrient supply phasing: nitrogen supply phasing increases broccoli (*Brassica oleracea* var. *italica*) growth and yield 821
NOODÉN LD, PENNEY JP. Correlative controls of senescence and plant death in *Arabidopsis thaliana* (Brassicaceae) 2151
NÖSBERGER J, *see* REIDY B.
NOWACK LM, *see* MADEY E.
OBARA M, KAJIURA M, FUKUTA Y, YANO M, HAYASHI M, YAMAYA T, SATO T. Mapping of QTLs associated with cytosolic glutamine synthetase and NADH-glutamate synthase in rice (*Oryza sativa* L.) 1209
OBERSCHALL A, *see* DAVLETOVA S.
OFFLER CE, *see* PATRICK JW.
OHNO R, TAKUMI S, NAKAMURA C. Expression of a cold-responsive *Lt-Cor* gene and development of freezing tolerance during cold acclimation in wheat (*Triticum aestivum* L.) 2367
OHSUGI R, *see* ISHIMARU K.
OHTAKE N, SATO T, FUJIKAKE H, SUEYOSHI K, OHYAMA T, ISHIOKA N-S, WATANABE S, OSA A, SEKINE T, MATSUHASHI S, ITO T, MIZUNIWA C, KUME T, HASHIMOTO S, UCHIDA H, TSUJI A. Rapid N transport to pods and seeds in N-deficient soybean plants 277
OHYAMA T, *see* OHTAKE N.
OLCER H, *see* HARRISON EP.
OLIVARES FL, *see* JAMES EK.
ONO K, *see* ISHIMARU K.
OPARKA KJ, *see* HAUPT S.
ORCHARD CB, *see* HERBERT RJ.
OREN R, *see* SCHULZE W.
ORO R, *see* KASHA KJ.
ORTIZ C, CARDEMIL L. Heat-shock responses in two leguminous plants: a comparative study 1711
ORTIZ-LOPEZ A, *see* FUENTES SI.
OSA A, *see* OHTAKE N.
OTTO B, *see* SIEFRITZ F.
OUGHAM HJ, THOMAS AM, THOMAS BJ, FRICK GA, ARMSTRONG GA. Both light-dependent protochlorophyllide oxidoreductase A and protochlorophyllide oxidoreductase B are down-regulated in the *slender* mutant of barley 1447
OURRY A, *see* ROSSATO L.
OUTLAW JR WH, *see* ZHANG SQ.
OUTLAW JR WH, ZHANG S. Single-cell dissection and microdroplet chemistry 605
OXBOROUGH K, *see* BAKER NR.
OXBOROUGH K, *see* LEIPNER J.
OXELMAN B, *see* VAHALA T.
PACIOLLA C, *see* TOMMASI F.
PALTA JA, *see* MA Q.
PALVA ET, *see* VRANOVA E.
PANDEY S, SOPORY SK. *Zea mays* CCaMK: autophosphorylation-dependent substrate phosphorylation and down-regulation by red light 691
PANDEY V, *see* DIXIT V.
PARDOSSI A, *see* VERNIERI P.
PARRY MAJ, *see* PASTORI GM.
PARSONS R, SUNLEY RJ. Nitrogen nutrition and the role of root–shoot nitrogen signalling, particularly in symbiotic systems 435
PASTORI GM, WILKINSON MD, STEELE SH, SPARKS CA, JONES HD, PARRY MAJ. Age-dependent transformation frequency in elite wheat varieties 857
PATRICK JW, OFFLER CE. Compartmentation of transport and transfer events in developing seeds 551
PAUL MJ, FOYER CH. Sink regulation of photosynthesis (Review article) 1383
PAUL MJ, *see* PIETERS AJ.
PAYTON P, WEBB R, KORNYEYEV D, ALLEN R, HOLADAY AS. Protecting cotton photosynthesis during moderate chilling at high light intensity by increasing chloroplastic anti-oxidant enzyme activity 2345
PEARSON S, *see* ADAMS SR.
PENG Y-B, *see* ZHANG D-P.
PENNEY JP, *see* NOODÉN LD.
PEREZ DE LUQUE A, *see* SERGHINI K.
PETERSON CA, *see* MA F.
PETITOT A-S, *see* DAHAN J.
PETITOT A-S, *see* HOUOT V.
PHARIS RP, *see* FELLNER M.
PHELPS K, *see* FINCH-SAVAGE WE.
PIETERS AJ, PAUL MJ, LAWLOR DW. Low sink demand limits photosynthesis under Pi deficiency 1083
PINHEIRO C, CHAVES MM, RICARDO CP. Alterations in carbon and nitrogen metabolism induced by water deficit in the stems and leaves of *Lupinus albus* L. 1063
PIOVAN A, *see* TRAINOTTI L.
PITTERMANN J, SAGE RF. The response of the high altitude C_4 grass *Muhlenbergia montana* (Nutt.) A.S. Hitchc. to long- and short-term chilling 829
PLANCHON C, *see* HERVÉ D.
PLOMION C, *see* DUBOS C.
POINSSOT B, *see* COUTOS-THÉVENOT P.
POLLE A, *see* SCHWANZ P.
PONS TL, JORDI W, KUIPER D. Acclimation of plants to light gradients in leaf canopies: evidence for a possible role for cytokinins transported in the transpiration stream 1563
POSCHENRIEDER C, *see* KIDD PS.
PRADA D, *see* ROMAGOSA I.
PRICE LE, BACON MA, YOUNG PC, DAVIES WJ. High-resolution analysis of tomato leaf elongation: the application of novel time series analysis techniques 1925
PRITCHARD J, *see* WATSON R.
PROCTOR J, *see* KIDD PS.
PROE MF, *see* GRELET G-A.
PROSSER IM, PURVES JV, SAKER LR, CLARKSON DT. Rapid distribution of nitrogen metabolism and nitrate transport in spinach plants deprived of sulphate 113
PURVES JV, *see* PROSSER IM.
PYANKOV VI, *see* EDWARDS GE.
QUARTACCI MF, COSI E, NAVARI-IZZO F. Lipids and NADPH-dependent superoxide production in plasma

membrane vesicles from roots of wheat grown under copper deficiency or excess 77
QUEREIX A, DEWAR RC, GAUDILLERE J-P, DAYAU S, VALANCOGNE C. Sink feedback regulation of photosynthesis in vines: measurements and a model 2313
QUINTERO JM, MOLINA R, FOURNIER JM, BENLLOCH M, RAMOS J. Glucose-induced activation of rubidium transport and water flux in sunflower root systems 99
QUTOB D, *see* GIJZEN M.
RACHMILEVITCH S, *see* GALE J.
RADEMACHER T, *see* HÄUSLER RE.
RAINES CA, *see* HARRISON EP.
RAMIS C, GOMORD V, LEROUGE P, FAYE L. Deglycosylation is necessary but not sufficient for activation of proconcanavalin A 911
RAMOS GBA, DE ALMEIDA ENGLER J, FERREIRA PCG, HEMERLY AS. DNA replication in plants: characterization of a *cdc6* homologue from *Arabidopsis thaliana* 2239
RAMOS J, *see* QUINTERO JM.
RANDALL DR, *see* BROZ AK.
RANIERI A, CASTAGNA A, BALDAN B, SOLDATINI GF. Iron deficiency differently affects peroxidase isoforms in sunflower 25
RASCIO N, *see* DALLA VECCHIA F.
RASCO-GAUNT S, RILEY A, CANNELL M, BARCELO P, LAZZERI PA. Procedures allowing the transformation of a range of European élite wheat (*Triticum aestivum* L.) varieties via particle bombardment 865
RATAJCZAK R, *see* WANG B.
RATCLIFFE RG, *see* AUBERT S.
RAUSCH T, *see* ROSENKRANZ H.
RAVEN JA, EDWARDS D. Roots: evolutionary origins and biogeochemical significance 381
REDONDO-NEVADO J, MOYANO E, MEDINA-ESCOBAR N, CABALLERO JL, MUÑOZ-BLANCO J. A fruit-specific and developmentally regulated endopolygalacturonase gene from strawberry (*Fragaria* × *ananassa* cv. Chandler) 1941
REIDY B, NÖSBERGER J, FLEMING A. Differential expression of XET-related genes in the leaf elongation zone of *F. pratensis* 1847
REIS VM, *see* JAMES EK.
Rennenberg H, *see* GULLNER G.
RENNENBERG H, *see* HÄNSCH R.
REUVENI J, *see* GALE J.
REY P, *see* LANGENKÄMPER G.
REYMOND M, *see* MULLER B.
REZENDE GL, *see* SEIXAS DA-SILVA W.
RICARDO CP, *see* PINHEIRO C.
RICE KJ, *see* MATZNER SL.
RICHARD C, GRANIER C, INZÉ D, DE VEYLDER L. Analysis of cell division parameters and cell cycle gene expression during the cultivation of *Arabidopsis thaliana* cell suspensions 1625
RICHARDS JH, *see* MATZNER SL.
RIEDERER M, SCHREIBER L. Protecting against water loss: analysis of the barrier properties of plant cuticles 2023
RILEY A, *see* RASCO-GAUNT S.
ROBERTS JKM, *see* AUBERT S.
ROELFSEMA MRG, STEINMEYER R, HEDRICH R. Discontinuous single electrode voltage-clamp measurements: assessment of clamp accuracy in *Vicia faba* guard cells 1933
ROGERS A, ELLSWORTH DS, HUMPHRIES SW. Possible explanation of the disparity between the *in vitro* and *in vivo* measurements of Rubisco activity: a study in loblolly pine grown at elevated pCO_2 1555
ROGERS HJ, MAUND SL, JOHNSON LH. A β-galactosidase-like gene is expressed during tobacco pollen development 67
ROGERS HJ, *see* HERBERT RJ.
ROJO E, *see* LEÓN J.
ROLDÁN M, *see* ABARCA D.
ROMAGOSA I, PRADA D, MORALEJO MA, SOPENA A, MUÑOZ P, CASAS AM, SWANSTON JS, MOLINA-CANO JL. Dormancy, ABA content and sensitivity of a barley mutant to ABA application during seed development and after ripening 1499
ROMBAUTS S, *see* BOUDOLF V.
ROMERO-PUERTAS MC, *see* SANDALIO LM.
RÖMHELD V, *see* TOLAY I.
ROSENKRANZ H, VOGEL R, GREINER S, RAUSCH T. In wounded sugar beet (*Beta vulgaris* L.) tap-root, hexose accumulation correlates with the induction of a vacuolar invertase isoform 2381
ROSSATO L, LAINÉ P, OURRY A. Nitrogen storage and remobilization in *Brassica napus* L. during the growth cycle: nitrogen fluxes within the plant and changes in soluble protein patterns 1655
ROULIN S, FELLER U. Reversible accumulation of (1→3,1→4)-β-glucan endohydrolase in wheat leaves under sugar depletion 2323
ROW PE, GRAY JC. Chloroplast precursor proteins compete to form early import intermediates in isolated pea chloroplasts 47
ROW PE, GRAY JC. The effect of amino acid-modifying reagents on chloroplast protein import and the formation of early import intermediates 57
ROWSE HR, *see* FINCH-SAVAGE WE.
ROWSE HR, *see* WHALLEY WR.
RUIZ-LOZANO JM, COLLADOS C, BAREA JM, AZCÓN R. Cloning of cDNAs encoding SODs from lettuce plants which show differential regulation by arbuscular mycorrhizal symbiosis and by drought stress 2241
RUTTINK T, *see* VAN DER WEERD L.
RUTTINK T, *see* VAN LEEUWEN W.
SABATER B, *see* ABARCA D.
SABATER B, *see* LÓPEZ-SERANO M.
SACANDÉ M, GOLOVINA EA, VAN AELST AC, HOEKSTRA FA. Viability loss of neem (*Azadirachta indica*) seeds associated with membrane phase behaviour 919
SAGE RF, *see* PITTERMANN J.
SAKER LR, *see* PROSSER IM.
SÁNCHEZ-SERRANO JJ, *see* LEÓN J.
SANDALIO LM, DALURZO HC, GÓMEZ M, ROMERO-PUERTAS MC, DEL RÍO LA. Cadmium-induced changes in the growth and oxidative metabolism of pea plants 2115
SANDELIUS AS, *see* HELLGREN LI.
SANDERS D, *see* DIETRICH P.
SANDERS FE, *see* HANNAH MA.
SARLA N, *see* JAYAPRAKASH P.
SARRAFI A, *see* HERVÉ D.
SARUYAMA H, *see* SATO Y.
SATO F, *see* YAZAKI K.
SATO T, *see* OBARA M.
SATO T, *see* OHTAKE N.
SATO Y, MURAKAMI T, FUNATSUKI H, MATSUBA S, SARUYAMA H, TANIDA M. Heat shock-mediated APX gene expression and protection against chillling injury in rice seedlings 145
SATOH S, *see* WAKI K.
SAUER N, *see* HAUPT S.
SAUTER A, DAVIES WJ, HARTUNG W. The long-distance

abscisic acid signal in the droughted plant: the fate of the hormone on its way from root to shoot 1991
SAWHNEY VK, *see* FELLNER M.
SAYANOVA O, BEAUDOIN F, LIBISCH B, CASTEL A, SHEWRY PR, NAPIER JA. Mutagenesis and heterologous expression in yeast of a plant Δ^6 fatty acid desaturase 1581
SCARAMAGLI S, *see* BIONDI S.
SCHAAFSMA TJ, *see* VAN DER WEERD L.
SCHÄFFNER AR, *see* BAIGES I.
SCHALLER F. Enzymes of the biosynthesis of octadecanoid-derived signalling molecules (Review article) 11
SCHLERETH A, *see* MÜNTZ K.
SCHLÜTER U, CRAWFORD RMM. Long-term anoxia tolerance in leaves of *Acorus calamus* L. and *Iris pseudacorus* L. 2213
SCHMIDT G, *see* ZØTZ G.
SCHREIBER L, *see* HOSE E.
SCHREIBER L, *see* RIEDERER M.
SCHREIBER L. Effect of temperature on cuticular transpiration of isolated cuticular membranes and leaf discs 1893
SCHREIBER U, *see* BILGER W.
SCHUBERT S, *see* HÄUSLER RE.
SCHULLER K, *see* LOHAR DP.
SCHULZ A, *see* KEUNECKE M.
SCHULZE ED, *see* SCHULZE W.
SCHULZE I, *see* SCHULZE W.
SCHULZE W, SCHULZE ED, SCHULZE I, OREN R. Quantification of insect nitrogen utilization by the venus fly trap *Dionaea muscipula* catching prey with highly variable isotope signatures 1041
SCHWANZ P, POLLE A. Differential stress responses of antioxidative systems to drought in pendunculate oak (*Quercus robur*) and maritime pine (*Pinus pinaster*) grown under high CO_2 concentrations 133
SÉGUIN A, *see* LAPOINTE G.
SEIXAS DA-SILVA W, REZENDE GL, GALINA A. Subcellular distribution and kinetic properties of cytosolic and non-cytosolic hexokinases in maize seedling roots: implications for hexose phosphorylation 1191
SEKINE T, *see* OHTAKE N.
SERGHINI K, PEREZ DE LUQUE A, CASTEJÓN-MUÑOZ M, GARCÍA-TORRES L, JORRÍN JV. Sunflower (*Helianthus annuus* L.) response to broomrape (*Orobanche cernua* Loefl.) parasitism: induced synthesis and excretion of 7-hydroxylated simple coumarins 2227
SETTER TL, FLANNIGAN BA. Water deficit inhibits cell division and expression of transcripts involved in cell proliferation and endoreduplication in maize endosperm 1401
SEYDEL U, *see* KEUNECKE M.
SEYMOUR GB, *see* CAREY AT.
SEYMOUR RS. Diffusion pathway for oxygen into highly thermogenic florets of the arum lily *Philodendron selloum* 1465
SHALATA A, NEUMANN PM. Exogenous ascorbic acid (vitamin C) increases resistance to salt stress and reduces lipid peroxidation 2207
SHARMA SS, *see* DIETZ KJ.
SHARROCK RA, *see* TOMOS AD.
SHEN R, MA JF. Distribution and mobility of aluminium in an Al-accumulating plant, *Fagopyrum esculentum* Moench. 1683
SHEN Y-Y, *see* ZHANG D-P.
SHERSON SM, *see* THORNEYCROFT D.
SHEWRY PR, *see* LAMACCHIA C.
SHEWRY PR, *see* SAYANOVA O.
SHIBUYA K, *see* WAKI K.
SHIM YS, *see* KASHA KJ.
SHITAN N, *see* YAZAKI K.
SHUVALOV VA, *see* HEBER U.
SHY G, EHLER L, HERMAN E, GALILI G. Expression patterns of genes encoding endomembrane proteins support a reduced function of the Golgi in wheat endosperm during the onset of storage protein deposition 2387
SHYAM R, *see* DIXIT V.
SIEFRITZ F, BIELA A, ECKERT M, OTTO B, UEHLEIN N, KALDENHOFF R. The tobacco plasma membrane aquaporin NtAQP1 1953
SIMION E, *see* KASHA KJ.
SIMONNEAU T, *see* BOREL C.
SINCLAIR TR, *see* VADEZ V.
SKENE KR. Cluster roots: model experimental tools for key biological problems 479
SMITH DL, *see* CAREY AT.
SMITH FA, *see* ZHU Y-G.
SMITH SE, *see* ZHU Y-G.
SMITH SJ, *see* MILLER AJ.
SMITH SM, *see* THORNEYCROFT D.
SOLDATINI GF, *see* RANIERI A.
SOPENA A, *see* ROMAGOSA I.
SOPORY SK, *see* PANDEY S.
SPARKS C, *see* AMOAH BK.
SPARKS CA, *see* PASTORI GM.
SPINELLO R, *see* TRAINOTTI L.
SPOLAORE S, *see* TRAINOTTI L.
SPOLAORE S, TRAINOTTI L, CASADORO G. A simple protocol for transient gene expression in ripe fleshy fruit mediated by *Agrobacterium* 845
SRIPRANG R, *see* VRANOVA E.
STECKEL JRA, *see* FINCH-SAVAGE WE.
STEELE SH, *see* PASTORI GM.
STEINMEYER R, *see* ROELFSEMA MRG.
STEUDLE E, *see* HOSE E.
STEUDLE E, *see* MIYAMOTO N.
STILLER J, *see* LOHAR DP.
STÖHR C, MÄCK G. Diurnal changes in nitrogen assimilation of tobacco roots 1283
STOROZHENKO S, INZÉ D, VAN MONTAGU M, KUSHNIR S. *Arabidopsis* coactivator ALY-like proteins, DIP1 and DIP2, interact physically with the DNA-binding domain of the Zn-finger poly(ADP-ribose) polymerase 1375
SU L, *see* MADEY E.
SUEYOSHI K, *see* OHTAKE N.
SUNLEY RJ, *see* PARSONS R.
SUTY L, *see* DAHAN J.
SUTY L, *see* HOUOT V.
SUZUKI Y, MAKINO A, MAE T. An efficient method for extraction of RNA from rice leaves at different ages using benzyl chloride 1575
SWANSTON JS, *see* ROMAGOSA I.
TAGLIAVINI M, *see* MALAGUTI D.
TÄHTIHARJU S, *see* VRANOVA E.
TAKAMATSU H, *see* YAZAKI K.
TAKUMI S, *see* OHNO R.
TANIDA M, *see* SATO Y.
TARDIEU F, *see* BOREL C.
TARDIEU F, *see* MULLER B.
TAULAVUORI E, HELLSTRÖM E-K, TAULAVUORI K, LAINE K. Comparison of two methods used to analyse lipid peroxidation from *Vaccinium myrtillus* (L.) during snow removal, reacclimation and cold acclimation 2375
TAULAVUORI K, *see* TAULAVUORI E.

TAVAKOLI N, *see* DIETZ KJ.
TAYLOR G, *see* HARRIS NS.
TAYLOR K, *see* CALLOW ME.
TEBAYASHI S, ISHIHARA A, IWAMURA H. Elicitor-induced changes in isoflavonoid metabolism in red clover roots 681
TECSI L, *see* WALKER RP.
TERNOVSKY VI, *see* BERESTOVSKY GN.
TESTER M, LEIGH RA. Partitioning of nutrient transport processes in roots 445
THELEN JJ, *see* BROZ AK.
THOMAS AM, *see* OUGHAM HJ.
THOMAS B, *see* JOHN CF.
THOMAS BJ, *see* OUGHAM HJ.
THOMPSON DS. Extensiometric determination of the rheological properties of the epidermis of growing tomato fruit 1291
THOMPSON JE, *see* MADEY E.
THORNEYCROFT D, SHERSON SM, SMITH SM. Using gene knockouts to investigate plant metabolism (Review article) 1593
THORNTON B. Uptake of glycine by non-mycorrhizal *Lolium perenne* 1315
THUMMA BR, NAIDU BP, CHANDRA A, CAMERON DF, BAHNISCH LM, LIU C. Identification of causal relationships among traits related to drought resistance in *Stylosanthes scabra* using QTL analysis 203
TIEDEMANN J, *see* MÜNTZ K.
TOBIN AK, *see* BOWSHER CG.
TOBIN AK, YAMAYA T. Cellular compartmentation of ammonium assimilation in rice and barley 591
TODA T, *see* KOYAMA H.
TODE K, LÜTHEN H. Fusicoccin- and IAA-induced elongation growth share the same pattern of K^+ dependence 251
TOGNONI F, *see* VERNIERI P.
TOLAY I, ERENOGLU B, RÖMHELD V, BRAUN HJ, CAKMAK I. Phytosiderophore release in *Aegilops tauschii* and *Triticum* species under zinc and iron deficiencies 1093
TOMMASI F, PACIOLLA C, DE PINTO MC, DE GARA L. A comparative study of glutathione and ascorbate metabolism during germination of *Pinus pinea* L. seeds 1647
TOMOS AD, SHARROCK RA. Cell sampling and analysis (SiCSA): metabolites measured at single cell resolution 623
TÖRÖK K, *see* DAVLETOVA S.
TORRIGIANI P, *see* BIONDI S.
TOYAMA T, *see* NAKAMURA S.
TRAINOTTI L, *see* SPOLAORE S.
TRAINOTTI L, SPINELLO R, PIOVAN A, SPOLAORE S, CASADORO G. β-Galactosidases with a lectin-like domain are expressed in strawberry 1635
TREMBLAY FM, *see* EL MESKAOUI A.
TREMBLAY FM, *see* IRAQI D.
TREMBLAY FM, *see* LE VQ.
TREMBLAY N, *see* NKOA R.
TRESCH S, *see* GROSSMANN K.
TREVAN M, *see* EL-GENDY W.
TSUJI A, *see* OHTAKE N.
TUCKER GA, *see* CAREY AT.
TURNER NC, *see* MA Q.
UCHIDA H, *see* OHTAKE N.
UEDA K, *see* YAZAKI K.
UEHLEIN N, *see* SIEFRITZ F.
UENO O. Ultrastructural localization of photosynthetic and photorespiratory enzymes in epidermal, mesophyll, bundle sheath, and vascular bundle cells of the C_4 dicot *Amaranthus viridis* 1003
UGALDE TD, *see* FITZGERALD MA.
VADEZ V, SINCLAIR TR. Leaf ureide degradation and N_2 fixation tolerance to water deficit in soybean 153
VAHALA T, OXELMAN B, VON ARNOLD S. Two *APETALA2*-like genes of *Picea abies* are differentially expressed during development 1111
VALANCOGNE C, *see* QUEREIX A.
VAN AELST AC, *see* GOLOVINA EA.
VAN AELST AC, *see* SACANDÉ M.
VAN AS H, *see* VAN DER WEERD L.
VAN CAMP W, *see* VRANOVA E.
VAN DEN HEUVEL KJPT, HULZINK JMR, BARENDSE GWM, WULLEMS GJ. The expression of *tgas118*, encoding a defensin in *Lycopersicon esculentum*, is regulated by gibberellin 1427
VAN DER HEIJDEN GWAM, *see* NIJSSE J.
VAN DER KROL AR, *see* VAN LEEUWEN W.
VAN DER PLAS LHW, *see* VAN LEEUWEN W.
VAN DER WEERD L, CLAESSENS MMAE, RUTTINK T, VERGELDT FJ, SCHAAFSMA TJ, VAN AS H. Quantitative NMR microscopy of osmotic stress responses in maize and pearl millet 2333
VAN IEPEREN W, NIJSSE J, KEIJZER CJ, VAN MEETEREN U. Induction of air embolism in xylem conduits of predefined diameter 981
VAN IEPEREN W, *see* NIJSSE J.
VAN LEEUWEN W, RUTTINK T, BORST-VRENSSEN AWM, VAN DER PLAS LHW, VAN DER KROL AR. Characterization of position-induced spatial and temporal regulation of transgene promoter activity in plants 949
VAN MEETEREN U, *see* NIJSSE J.
VAN MEETEREN U, *see* VAN IEPEREN W.
VAN MONTAGU M, *see* STOROZHENKO S.
VANCE CP, *see* CHICHKOVA S.
VAZZANA C, *see* WHITTAKER A.
VERBELEN J-P, *see* VISSENBERG K.
VERGELDT FJ, *see* VAN DER WEERD L.
VERLINDEN BE, *see* LAMMERTYN J.
VERNIERI P, LENZI A, FIGARO M, TOGNONI F, PARDOSSI A. How the roots contribute to the ability of *Phaseolus vulgaris* L. to cope with chilling-induced water stress 2199
VICIENT CM, GRUBER V, DELSENY M. The *Arabidopsis AtEm1* promoter is active in *Brassica napus* L. and is temporally and spatially regulated 1587
VIEIRA SANTOS CL, CAMPOS A, AZEVEDO H, CALDEIRA G. *In situ* and *in vitro* senescence induced by KCl stress: nutritional imbalance, lipid peroxidation and antioxidant metabolism 351
VILHAR B, *see* HERBERT RJ.
VISSENBERG K, FEIJÓ JA, WEISENSEEL MH, VERBELEN J-P. Ion fluxes, auxin and the induction of elongation growth in *Nicotiana tabacum* cells 2161
VOGEL G, FIEHN O, J-R-DIT-BRESSEL L, BOLLER T, WIEMKEN A, AESCHBACHER RA, WINGLER A. Trehalose metabolism in *Arabidopsis*: occurrence of trehalose and molecular cloning and characterization of trehalose-6-phosphate synthase homologues 1817
VOGEL R, *see* ROSENKRANZ H.
VOGT UK. Hydraulic vulnerability, vessel refilling, and seasonal courses of stem water potential of *Sorbus aucuparia* L. and *Sambucus nigra* L. 1527
VOLOKITA M, *see* GALE J.
VON ARNOLD S, *see* VAHALA T.
VOZNESENSKAYA EV, *see* EDWARDS GE.
VRANOVÁ E, TÄHTIHARJU S, SRIPRANG R, WILLEKENS H, HEINO P, PALVA ET, INZÉ D, VAN CAMP W. The AKT3 potassium channel protein interacts with the AtPP2CA protein phosphatase 2C 181
VYSKOT B, *see* ZLUVOVA J.

WAGNER MH, *see* BAILLY C.
WAKI K, SHIBUYA K, YOSHIOKA T, HASHIBA T, SATOH S. Cloning of a cDNA encoding EIN3-like protein (DC-EIL1) and decrease in its mRNA level during senescence in carnation flower tissues 377
WALCH-LIU P, *see* HÄNSCH R.
WALKER RL, BURNS IG, MOORBY J. Responses of plant growth rate to nitrogen supply: a comparison of relative addition and N interruption treatments 309
WALKER RP, CHEN Z-H, JOHNSON KE, FAMIANI F, TECSI L, LEEGOOD RC. Using immunohistochemistry to study plant metabolism: the examples of its use in the localization of amino acids in plant tissues, and of phosphoenolpyruvate carboxykinase and its possible role in pH regulation 565
WANG B, LÜTTGE U, RATAJCZAK R. Effects of salt treatment and osmotic stress on V-ATPase and V-PPase in leaves of the halophyte *Suaeda salsa* 2355
WANG C-H, *see* LEE R-H.
WANG H, *see* FAN L-M.
WANG Y-F, *see* FAN L-M.
WANG Z, *see* YANG J.
WATANABE S, *see* OHTAKE N.
WATSON R, PRITCHARD J, MALONE M. Direct measurement of sodium and potassium in the transpiration stream of salt-excluding and non-excluding varieties of wheat 1873
WEBB R, *see* PAYTON P.
WEINER H, KAISER WM. Antibodies to assess phosphorylation of spinach leaf nitrate reductase on serine 543 and its binding to 14-3-3 proteins 1165
WEISENSEEL MH, *see* VISSENBERG K.
WELLS DM, *see* MILLER AJ.
WENDLER R, *see* MALAGUTI D.
WETHERBEE R, *see* CALLOW ME.
WHALLEY WR, LIPIEC J, FINCH-SAVAGE WE, COPE RE, CLARK LJ, ROWSE HR. Water stress can induce quiescence in newly-germinated onion (*Allium cepa* L.) seedlings 1129
WHALLEY WR, *see* CLARK LJ.
WHALLEY WR, *see* FINCH-SAVAGE WE.
WHIPPS J. Microbial interactions and biocontrol in the rhizosphere 487
WHITE PJ, *see* BROADLEY MR.
WHITE PJ. The pathways of calcium movement to the xylem 891
WHITTAKER A, BOCHICCHIO A, VAZZANA C, LINDSEY G, FARRANT J. Changes in leaf hexokinase activity and metabolite levels in response to drying in the desiccation-tolerant species *Sporobolus stapfianus* and *Xerophyta viscosa* 961
WIEMKEN A, *see* MÜLLER J.
WIEMKEN A, *see* MÜLLER J.
WIEMKEN A, *see* VOGEL G.
WIESHAMMER G, *see* KÜPPER H.
WILKINSON MD, *see* PASTORI GM.
WILLEKENS H, *see* VRANOVA E.
WILLEY NJ, *see* BROADLEY MR.
WILLMS JR, *see* AMTHOR JS.
WINGLER A, *see* VOGEL G.
WIŚNIEWSKI K, ZAGDAŃSKA B. Genotype-dependent proteolytic response of spring wheat to water deficiency 1455
WISSUWA M, AE N. Genotypic differences in the presence of hairs on roots and gynophores of peanuts (*Arachis hypogaea* L.) and their significance for phosphorus uptake 1703
WITT C, *see* HÄNSCH R.
WOO Y, *see* LARKINS B.
WU H, *see* AMOAH BK.
WU W-H, *see* FAN L-M.
WULLEMS GJ, *see* VAN DEN HEUVEL KJPT.
WURTZEL ET, LUO R, YATOU O. A simple approach to identify the first rice mutants blocked in carotenoid biosynthesis 161
XIAO L, KOSTER KL. Desiccation tolerance of protoplasts isolated from pea embryos 2105
YAMAYA T, *see* OBARA M.
YAMAYA T, *see* TOBIN AK.
YANG J, ZHANG J, WANG Z, ZHU Q. Activities of starch hydrolytic enzymes and sucrose-phosphate synthase in the stems of rice subjected to water stress during grain filling 2169
YANO M, *see* ISHIMARU K.
YANO M, *see* OBARA M.
YATOU O, *see* WURTZEL ET.
YAZAKI K, SHITAN N, TAKAMATSU H, UEDA K, SATO F. A novel *Coptis japonica* multidrug-resistant protein preferentially expressed in the alkaloid-accumulating rhizome 877
YEAN H, *see* COUTOS-THÉVENOT P.
YOSHIOKA T, *see* WAKI K.
YOUNG PC, *see* PRICE LE.
ZAGDAŃSKA B, *see* WIŚNIEWSKI K.
ZDUNEK E, LIPS SH. Transport and accumulation rates of abscisic acid and aldehyde oxidase activity in *Pisum sativum* L. in response to suboptimal growth conditions 1269
ZEIGER E, *see* JIN X.
ZHANG D-P, CHEN S-W, PENG Y-B, SHEN Y-Y. Abscisic acid-specific binding sites in the flesh of developing apple fruits 2097
ZHANG D-P, *see* XIAO L.
ZHANG F, *see* BEGUM AA.
ZHANG F, *see* JIANG F.
ZHANG J, *see* JIA W.
ZHANG J, *see* LU C.
ZHANG J, *see* YANG J.
ZHANG R, *see* FELLNER M.
ZHANG S, *see* OUTLAW JR WH.
ZHANG SQ, OUTLAW JR WH, AGHORAM K. Relationship between changes in the guard-cell abscisic-acid content and other stress-related physiological parameters in intact plants 301
ZHAO F-J, *see* KÜPPER H.
ZHU J, *see* JIN X.
ZHU Q, *see* YANG J.
ZHU Y-G, SMITH SE, SMITH FA. Plant growth and cation composition of two cultivars of spring wheat (*Triticum aestivum* L.) differing in P uptake efficiency 1277
ZLUVOVA J, JANOUSEK B, VYSKOT B. Immunohistochemical study of DNA methylation dynamics during plant development 2265
ZOTZ G, HIETZ P, SCHMIDT G. Small plants, large plants: the importance of plant size for the physiological ecology of vascular epiphytes 2051
ZOTZ G, HIETZ P. The physiological ecology of vascular epiphytes: current knowledge, open questions (Review article) 2067
ZWIAZEK JJ, *see* KAMALUDDIN M.
ZWIENIECKI MA, MELCHER PJ, HOLBROOK NM. Hydraulic properties of individual xylem vessels of *Fraxinus americana* 257